



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0231/09/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

Factory made mineral wool product ROTAFLEX Super used for thermal insulation of buildings

(according to the list in the Annex to this certificate)

placed on the market by : **UNION LESNÍ BRÁNA, a.s.**
Novosedlická 248, Pozorka
417 03 Dubí, ČR

IČO: 14864606

and produced in the factory : **UNION LESNÍ BRÁNA, a.s.**
Novosedlická 248, Pozorka
417 03 Dubí, ČR

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 13 162:2012+A1:2015

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 06. 11. 2009 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Stamp of Notified Body 1390
Prague, 10. 06. 2019




Ing. Petr Kučera, Ph.D.
Deputy of Notified Body 1390



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague

Akreditované zkušební laboratoře, Autorizovaná osoba,
 Oznamovaný subjekt, Certifikační orgán
 Accredited Test Laboratories, Authorised Body,
 Notified Body, Certification Body
 Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-ÇPR-0231/09/P
The certificate covers the following products
of UNIQ LESNÍ BRÁNA a.s., Novosedlická 248, Pozorka, 417 03 Dubí:

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
TFL EKO plus DEKWOOL G042 r TF	0,042	A1	MW-EN 13162-T1-MU1
UNI 513 TP 01 DEKWOOL G039 r ThermAttic GW roll IZOROLL Profi 39	0,039	A1	MW-EN 13162-T2-MU1
TP 02 DEKWOOL G 038 r SW Ruller 38 Formstyker 38	0,038	A1	MW-EN 13162-T2-MU1
TD 01 516	0,037	A1	MW-EN 13162-T2-MU1
FDL 01			MW-EN 13162-T2-WS-WL(P)-MU1
PDL 01, DEKWOOL DW r plate PP 01, DEKWOOL DW r roll			MW-EN 13162-T2-MU1
Ruller 37 Formstyker 37 GW KP 01			MW-EN 13162-T3-MU1
520 KP 02 DEKWOOL G 035 r 522	0,035	A1	MW-EN 13162-T3-MU1
AD 01			MW-EN 13162-T3-AF3*)-MU1
ADP 01			MW-EN 13162-T3-MU1
FD 01 KD 01			MW-EN 13162-T3-WS-WL(P)-MU1
KP03 DEKWOOL G 033 r 530	0,033	A1	MW-EN 13162-T3-MU1





Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0231/09/P
The certificate covers the following products
of UNION LÉSNÍ BRÁNA a.s., Novosedlická 248, Pozorka, 417 03 Dubí:

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
532 535 538 540 TD 02	0,032	A2-s1,d0	MW-EN 13162-T3-MU1
FĐ02 KD02			MW-EN 13162-T3-WS-WL(P)-MU1
550 560 TD 03	0,031	A2-s1,d0	MW-EN 13162-T3-MU1

*) declaration refers to the product thickness of 100mm

Stamp of Notified Body 1390
Prague, 10. 06. 2019




Ing. Petr Kučera, Ph.D.
Deputy of Notified Body 1390